




# PACIFIC CORRUGATED PIPE CO. D.B.A. ARIZONA CULVERT CO.

CASA GRANDE, AZ (520) 426-6000 DR (800) 822-1770 SANTA FE, NM (505) 474-5400



## DETENTION ACCESS LADDER DETAILS

REVISION: 05/03/2007

### DETENTION ACCESS LADDER (NON - GALVANIZED)



- \* NOTES:
1. ALL STEEL PER ASTM A36
  2. ALL LADDERS SHIPPED LOOSE
  3. TO BE INSTALLED BY OTHERS
  4. WELD OR BOLT TO MANHOLE RISER IN FIELD



\* NOTE:  
TOP OF RIM TO TOP OF LADDER  
NOT TO EXCEED 2'-6"

THE INFORMATION PRESENTED SHOULD BE CHECKED BY THE PROFESSIONAL ENGINEER RESPONSIBLE FOR THE DESIGN TO VERIFY ACCURACY. ALSO, THE ASSUMPTIONS AND METHODS USED TO OBTAIN THE INFORMATION SHOULD BE REVIEWED TO MAKE CERTAIN THAT THEY ARE APPLICABLE AND SUITABLE FOR THE PROJECT DESIGNED.

(NOT TO SCALE)